



Product information sheet

AXBUCH-HK2 Hyundai / Kia (without NAV) 2014-2017

INTERFACE FEATURES

- Retains the factory back-up camera to an aftermarket radio
- Allows an aftermarket camera to be added to the factory screen

APPLICATIONS

HYUNDAI	HYUNDAI (CONT)	KIA (CONT)
Elantra * 2017	Sonata 2015-2016	Optima 2016
Elantra 2014-2016	Tucson 2014-2017	Sedona ** 2015-2016
Santa Fe 2013-2016	KIA	Sorento * 2017
Santa Fe Sport * 2017	Forte * 2017	Sportage * 2017
Santa Fe Sport 2013-2016	Optima * 2017	

* Without 7-inch touchscreen radio

** Without UVO radio

INTERFACE COMPONENTS

- AXBUCH-HK2 harness

TOOLS REQUIRED

- Wire cutter • Crimping tool • Solder gun • Tape
- Connectors (example: butt connectors, bell caps, etc.)

Connections to be made

The AXBUCH-HK2 can be connected two different ways

To retain the factory back-up camera to an aftermarket radio:

- Connect the **Black** wire to chassis ground.
- Connect the **Red** wire to accessory power.*
- Connect the *male Yellow* RCA jack to the rear camera input of the aftermarket radio.

* It is highly recommended to use the AXCS-D-6V (sold separately) to provide the camera with the proper voltage.

To allow an aftermarket camera to be added to the OEM screen:

- Connect the **Black** wire to the aftermarket camera's ground wire.
- Connect the power wire of the aftermarket camera to accessory power.
- Connect the *female Yellow* RCA jack to the aftermarket camera.
- Tape off and disregard the following (1) wire, it will not be used in this application: **Red**.

Note: If the *Blue/Red* wire is not populated on the factory side, a reverse wire will need to be sourced from the vehicle. A 48-inch loose *Green/Purple* wire is included for this purpose.

1-800-221-0932

METRA. THE WORLD'S BEST KITS.™

www.metraonline.com

© COPYRIGHT 2020 METRA ELECTRONICS CORPORATION

REV. 1/28/2020 INFOAXBUCH-HK2