

CTUVX04 VAUXHALL/OPEL INFODAPTER

Astra 2015>





INSTRUCTION MANUAL

www.connects2.com



ABOUT

The Connects2 Infodapter for Vauxhall vehicles allows vehicle setting and parking sensor information to be displayed on any aftermarket head unit with rear camera input. The Infodapter also allows the use of the steering wheel controls with almost every steering wheel control compatible head unit on the market.

NB: Allows use of steering wheel controls, optical parking sensor display and climate control visualisation. Does not retain Onstar, rain sense wipers or remote window operation.

DIP SWITCH SETTINGS

See Fig 1.

Up = Off, Down = On

1: On = Pioneer head units. Off = All other head units

2: Setting for reverse camera. On = PAL, Off = NTSC. The default setting is Off (NTSC).

3: Resets the display settings back to default. If the display settings have been manipulated in a way that it is no longer possible to make adjustments, change the DIP switch #3 from Off to On and back. This will reset the screen settings to the factory defaults. During this procedure the screen background will change to red. While the background is red, no settings can be made.

4: Not applicable

Interface Connections



Interface Connections

Connection of the Main Loom & Antenna

NB: The OEM radio is located underneath the right hand footwell. Locate this before attempting installation

Connect the main loom as shown in Fig. 2,

The OEM radio may have two antenna connections (DAB & FM). Locate the FM connector (usually black) and connect the CT27AA117 extension to it. Then connect the CT27AA14 adapter to the extension and route both the main loom and antenna lead up to the new radio location.

Connect the blue wire on the CT27AA14 to a switched 12v supply if the roof antenna requires a 12v supply to switch on the amplifier. A switched 12v supply will be found on the new radio, normally labelled "Antenna Remote".



Steering Wheel Controls

- 1. Source
- 2. Track +/-
- 3. Volume +
- 4. Volume -
- 5. Speech/Pick Up
- 6. Mute/Hang Up

To access the menu, **push and hold the source button** for 2 seconds (Fig. 3). This will enable the configuration menu. To navigate through the menu options use the **Track Up/ Track Down buttons.** To select a menu option, push the **source button once**.



Vehicle Settings

Vehicle settings can be adjusted via the menu. All vehicle setup options that were available with the original head unit, are now available through the aftermarket head unit. See the vehicle handbook for more information regarding these features.

Vehicle Settings

Collision/Detection Systems Comfort & Convenience Lighting Power Door Locks Remote Lock, Unlock, Start

< Back

Collision/Detection Systems Set Park Assist to 'On' or 'Off'



Comfort & Convenience Set Chime Volume (+/-) Driver Personalisation 'On' or 'Off' Auto Wipe 'On' or 'Off'

Comfort & Convenience

Chime Volume Driver Personalisation Auto Wipe in Reverse Gear

< Back

Lighting

.

Vehicle Locator Lights 'On' or 'Off' Exit Lighting 'Off', '30 Seconds', '60 Seconds', '120 Seconds' Lighting

Vehicle Locator Lights Exit Lighting

< Back

Power Door Locks Unlocked Door Anti Lock Out 'On' or 'Off' Auto Door Lock 'On' or 'Off'

Power Door Locks

Unlocked Door Anti Lock Out Auto Door Lock

< Back

Remote Lock, Unlock, Start

Remote Unlock Light Feedback 'Off' or 'Flash' Remote Door Unlock 'All' or 'Drivers'

Relock Remotely Unlocked Doors 'On' or 'Off'

Remote Lock, Unlock, Start

Remote Unlock Light Feedback Remote Door Unlock Relock Remotely Unlocked Doors

< Back

Infodapter Settings

 Screen Size/Position -Make sure all 4 corner markers are touching the corners of the aftermarket head unit display. Screen Size/Position Horizontal Size Horizontal Position Vertical Size Vertical Position < Back

 Picture Settings -Adjust Brightness, contrast and colour saturation.



Screen Size/Position **Picture Settings** Preferences <Back

o Preferences -

Driver Position - Select Left or Right depending on vehicle configuration

Park Assist Version - Select according to the colour configuration of the park assist fitted to the vehicle

Camera Connected - Select Yes if an optional camera is connected

Reverse Priority* - Select which image (Camera or Park Assist) will be shown by default when reversing. The driver can select the desired image by pushing the Source button (Fig.3) while reversing. (*Note: this opeion is only available when 'Camera Connected' is set to Yes)

Park Brake Source - Set to Speed, Brake or Always On

Bluetooth - Select On if aftermarket head unit has Bluetooth built in. Pick up/hang up buttons on the steering wheel will be enabled

Steering Wheel - Select 6 or 7 function type depending upon vehicle

Preferences Driver Position

Park Assist Version Camera Connected Reverse Priority Park Brake Source Bluetooth Steering Wheel Logo Restore Factory Settings < Back

o Preferences -

Logo* - Select for relevant vehicle or head unit brand logo to be shown on the dash display. (*Note that this option will only appear for support four line dash displays. OEM navigation display is not supported)

Restore Factory Settings - Reverts all Infodapter settings to factory defaults. (This does not restore vehicle settings)



<u>Notes</u>